



airandé

SUPERIOR DISINFECTION SOLUTIONS

Product Description Sheet

Airandé Novo

Australian office

Suite 1a, Level 2,
802 Pacific Highway,
Gordon NSW 2072 Australia

ABN XXX XXX XXX

airande.global

European office

Business Center- Cercle du Lac
Rue de Rodeuhaie, 1
1348 Louvain-la-Neuve Belgium

CROSSROADS BANK FOR ENTERPRISES 668.511.330
- VAT BE 0668.511.330

- ⇒ Heavy duty odor removal system
- ⇒ Discreet or concealed installation
- ⇒ 3 power levels
- ⇒ Weather-proof for protected outdoor installation
- ⇒ Low maintenance – Low cleaning required



The Technology

The Airandé Novo substantially reduces odors in commercial and industrial installations, and microbial populations on air and on surfaces, utilizing the NCC technology.

Perfect for odor control, contamination prevention, etc . . .

Novo is probably the most powerful and the most versatile odor control mechanisms for commercial and industrial installations.

Specifications

AIR-RS-ST-01

Electrical	120/220v AC	50/60Hz	90 watts*
Mechanical	Fan 300 cfm		3 power levels available
Dimensions	19"(h) x 4.5" (w) x 4.3" (d) 48cm(l) x 11.5cm (w) x 11cm (d)		
Weight	4.7 lbs	2.15 kg	
Max Temp	150°F	65°C	*based on nominal line voltage

Applications

The Airandé Novo is ideally applicable to situations in which ducts are not easily accessible and where low maintenance, low-cleaning, or discreet installation might also be an advantage

- ✓ Industrial kitchens
- ✓ Water treatment stations
- ✓ Restaurants
- ✓ Hotel lobbies and restaurants
- ✓ Residential homes
- ✓ Kitchen exhaust systems

Benefits

- ⇒ Compact yet powerful
- ⇒ Effective against all organic odors
- ⇒ Easy installation. Plug and play operation
- ⇒ Effective against odors and VOCs
- ⇒ Safe, discreet and silent



*Scientific tests have demonstrated the use of the Airandé Range of surface and air purifiers substantially reduces microbial populations on surfaces. These products are not intended to diagnose, treat, or cure any disease.

Installation details

The Airandé Novo has been designed for heavy duty odor removal, specifically in water treatment plants, where Hydrogen Sulfide (H₂S) is often a problem.

One Novo unit is capable of handling H₂S concentrations of up to 900ppm, reducing them by 96%. Multiple Novo units can be mounted in parallel to handle higher concentrations to reach better results.

Novo can also be mounted parallel to a kitchen exhaust system, injecting our powerful oxydants inside the ducts, reducing the odors by up to 98%

IMPORTANT: Novo is not designed for use in occupied spaces.

Australia
Suite 1a, Level 2
802 Pacific Highway
Gordon NSW 2072 Australia

Telephone: +61 2 9844 5826
E: info@airande.global

Australia

Bill.Hovey@airande.global
James.Huey@airande.global
Tom.Hovey@airande.global

Airandé Pty Limited

Europe
Business Center- Cercle du Lac
Rue de Rodeuhaie,1
1348 Louvain-La-Neuve Belgium

Telephone: +32 10 39 44 55
E: info.europe@airande.global

Key Contacts

Australia and China

James.Huey@airande.global

Europe

Fabienne.Mertens@airande.global
Frank.Raymakers@airande.global
Ouriel.Ayalon@airande.global

Distributed by: